

Milwaukee (800) 236-0878 - Pensacola (800) 851-3618 - Memphis (800) 757-6884 - Tampa (727) 564-3997 - Miami/West Palm Beach (561) 319-1475

ELECTRONIC THEATRE CONTROLS (ETC) (CONTINUED NEXT PAGE)

SMART SOLUTIONS: MAINSTAGE IS A TOP SMART SOLUTIONS DEALER!!! NO PRODUCTION IS TOO SMALL TO HAVE GREAT LIGHTING SYSTEMS - SMART SOLUTIONS OFFERS SIMPLE BUT POWERFUL LIGHTING GEAR THAT WORK TOGETHER EASILY.

SmartPack Touring Systems: 2- or 4-pack design with choice of outputs, road case w/360° swivel casters, Cam-Lok® E1016 Series power input, circuit-breaker power distribution per pack, selectable single-phase/three-phase operation, optional main breaker and Cam-Lok feed thru, 3/4 length rack slides, SmartLink™ enabled.



2XSL620	2 Pack 12x20A	\$5,250.00
4XL620	4 Pack 24x20A	9,565.00
2XSL1210	2 Pack 24x20A	5,625.00
4XSL1210	4 Pack 48x10A	10,315.00

SmartSwitch: Designed to be combined with the SmartPack Wall Mount. Comes standard with SmartLink. Easy to install connections, 32 built-in presets and sequencer for stand-alone operation, up to 24 or 48 single or double pole relays, capable of multiple voltages per panel, 120 to 277 volt operation, DMX512A and RDM compatible. When used w/LinkPower Supply, the system allows up to 4 SmartLink Stations to be connected.



#SS-121P-LPS	12x20A relays w/LinkPower	\$1,350.00
#SS121P	12x20A Relays	1,240.00
#SS-241P-LPS	24x20A relays w/LinkPower	1,990.00
#SS241P	24x20A Relays	1,875.00



SmartPack Wall Mount: This compact unit features easy to install connections, 32 built-in presets and sequencer for stand-alone operation, full rated all-magnetic circuit breakers, is capable of dimming multiple load types, DMX512A and RDM compatible and SmartLink™ enabled.

#SL620W	6x20A 2400w	\$1,650.00
#SL1210W	12x10A 1200w	1,875.00

SmartLink Stations: Feature 5 or 10 button wall stations, remote control of presents and sequences in SmartPack and SmartSwitch, SmartLink network 2-wire, topology free, station addressing via 8-position dipswitch, up to 4 stations per system. White, Signal White, Ivory, Grey, Black.

#S-10005	5 Button	\$190.00
#S-10010	10 Button	190.00

SENSOR+ DIMMING SYSTEMS

A complete range of modular equipment which offers configurability based on your fixture inventory and are compatible with Dimmer Doubling and SmartLink Power Board for architectural control.

Sensor+ Installation Racks: Feature 6-, 12-, 48-module configurations, 6-96-dimmer configurations, front-access installation with easily accessible line, load and control terminations, innovative bussing design, single- or three-phase operation, neutral connect and delta versions available. Call for pricing.



Sensor+ Touring Racks: Feature 24-, 36- and 48-module configurations, up to 48, 72 and 96 20A dimmers, Cam-Lok power input and pass through connectors, 2 or 4 patch outputs per channel, options include bump buttons, custom output panels, motor power and moving light power, direct Ethernet control signal input and 2 DMX inputs, Supports Advanced Features option. Call for pricing.

Sensor+ Portable Packs: 6- and 12-module configurations, up to 12 or 24 20A dimmers, Cam-Lok input connectors, direct Ethernet control signal input and two DMX inputs, supports Advanced Features option.

#SP650B+	6 channels w/CEM+, (6) 50A Stage Pin connectors, (6) D20 dimmer modules.		
#SP3100B+	3 channels w/CEM+, (3) 100A Stage Pin connectors, (3) D100AF dimmer modules.		
	12 channels w/CEM+, (6) D20 dimmer modules and:		
#SP1220A+	(24) 20A Edison	\$3,720.00	#SP1220AV+ (12) 20A Edison/(2) Multipin \$3,930.00
#SP1220B+	(24) 20A Stage Pin	3,623.00	#SP1220BV+ (12) 20A Stage Pin/(2) Multipin 3,930.00
#SP1220C+	(24) 20A GTL	3,878.00	#SP1220V+ (4) 20A Multipin 4,050.00



SmartPack Portable Packs: (6) 2400w dimmers or (12) 1200w dimmers, 10" 2-space rack-mount enclosure, wide range of output panel options, 32 built-in presets and sequencer for stand-alone operation, fully rated all-magnetic circuit breakers, DMX512A and RDM compatible, SmartLink™ enabled. Connectors: -A Edison; -B Stage Pin; -C Twistlock. *Multipin, PowerCon, Terminals are available, cost not included.*

#SL620	6x20A	\$1,162.50
#SL1210	12x10A	1,537.50

SmartBar2: High Power option for 2 x 20A inputs on SB4 and SB6. 1200W Breaker output protection per dimmer.

#SB2-10-A	2Circuit w/Dual Edison	\$633.75
#SB4-10-A	Circuit w/ Dual Edison	633.75
#SB6-10Y-A	6 Circuit w/ Dual Edison	1,121.25



SmartModule 2: Features DMX input and thru connectors, RDM discover and addressing, 1200w breaker output protection per dimmer, High Power option for 2 x 20A inputs.

#SM4-10A	4 Circuit Dual Edison	\$637.50
#SM6-10X	6 Circuit Dual Edison	1,197.00



SmartStand: Crank-up lighting support with adapter. Max height 12', double risers, articulating leg to level stand on uneven surfaces.

#ST	\$729.00
------------	-----------------



CEM+ Control Modules: Work with any Sensor dimmer rack or pack. Features backlit LCD display and 6-button keypad., direct Ethernet control signal input as well as two DMX inputs, 128 presets w/programmable fade times configurable over four rooms, emergency/panic interface, supports Advanced Features option.

#CEM+. Call for pricing.

Milwaukee (800) 236-0878 - Pensacola (800) 851-3618 - Memphis (800) 757-6884 - Tampa (727) 564-3997 - Miami/West Palm Beach (561) 319-1475

ELECTRONIC THEATRE CONTROLS (ETC) (CONTINUED)

UNISON SMALL THEATRE DIMMING CABINETS

Low cost flexible and modular dimming for architectural and theatrical lighting control. Available in 12, 24 and 48 circuit configurations. Prices shown are for base units only. 3P/4W. Call for more details.

#S123ML	12 channel/6 module, 100A ML rack DMX control module	\$1,875.00
#S123MCB	12 channel/6 module, ML rack, 100A MCB aux, DMX control module	3,525.00
#S243ML	24 channel/12 module, ML rack and DMX control module	2,212.00
#S243MCB	24 channel/12 module, 200A ML rack, 200A MCB aux, DMX control module	4,913.00
#S483ML	48 channel/24 module, 200A ML rack, 400A ML cross-bussed aux, DMX control module	4,838.00
#S483MCB	48 channel/24 module, 200A ML rack, 400A MCB cross-bussed aux, DMX control module	6,300.00

ARCHITECTURAL CONTROLS

ETC offers a complete line of controls including Unison Control Stations and SmartLink Architectural Control for a variety of options including button, fader, LCD and IR stations.



ETC's new Paradigm has redesigned the Unison dimming enclosure offers facility-lighting and building systems integration, including daylight harvesting, occupancy sensing and time-based controls for critical energy savings.

ETC's Mosaic dimming enclosure

DIMMER DOUBLER

Used exclusively with ETC S4 fixtures, Sensor CEM+ dimming equipment and a control console w/electronic softpatch capability, utilizing the 77v lamp. It allows 2 fixtures to be controlled separately by one Sensor dimmer; 24 fixtures can be driven by 12 dimmers simultaneously. Connector not included.

#7060A1011 DD Assembly \$115.00

STRAND LIGHTING

C21 DIMMING SYSTEM

For 120V applications. Designed to interface directly w/Show-Net Ethernet or ACN control protocol. Two DMX inputs are standard with the second input available for use as an RS485 port, 128 system wide control back-up presets with individual fade times. All SSR dimmers feature high performance chokes and three levels of rise time. C21 Dimmer systems feature a universal 24-, 36- and 48-module rack design that provides support for 90-260v operation and are UL, cUL listed. Call for details and pricing.



LIGHT PACK

With Strand's most advanced IGBT dimming technology. The new 750 watt and 1200 watt Light Pack individual dimmers provide control flexibility. Features easy to use DMX addressing and plug and play DMX In/Out connectivity. All Light Packs are convection cooled and very quiet.

#71300	750w 800is w/bare leads	\$230.00
#71310	1200W 800is w/bare leads	330.00
#71301	750w 800is w/GP connectors	290.00
#71311	1200W 800is w/GP connectors	345.00
#71302	750w 800is w/GTL connectors	290.00
#71312	1200W 800is w/GTL connectors	345.00
#71303	750w 800is w/GR connectors	290.00
#71313	1200W 800is w/GR connectors	345.00



PROPAC DIMMER Propack provides high-density, high-power dimming in a compact 2U rack mount package. Each Propack features 12 dimmers connected to your choice of Socapex, or terminal strip outputs for 230v markets and adds a stage pin output for 120V markets to meet a wide range of applications. All Propacks feature our popular flat front circuit breakers that provide clear tripped-status indication and have no toggle handles that can break off. Control is supplied with our simple to set up and use digital processor.



75332	PROPAC 12x20A 120V PIN PLUG	\$1,442.00
75333	PROPAC 12x20A 120V SOCAPEX	1,442.00

S21 DIMMER PLUG BOXES

Feature quiet IGBT dimming for low lamp noise and reliable operation. Can be fed from standard breaker panels.

#71420	6x1200W 450is w/GP Connectors	\$1,830.00
#71423	3x2400W 800is w/GP connectors	1,710.00
#71421	6x1200W 450is w/GTL Connectors	1,830.00
#71424	3x2400W 800is w/GTL connectors	1,655.00
#71422	6x1200W 450is w/GR Connectors	1,830.00
#71424	3x2400W 800is w/GR connectors	1,655.00



S21 DIMMER STRIPS

Fully Digital Dimmer strip with Forward and Reverse phase dimming Compatible with new LED drivers that require reverse phase operation, DMX512 I/O, Quiet convection cooled dual IGBT dimmers No dimmer room required and no added cooling needed Energy efficient - only a 2.5 volt insertion loss Dimmer strip features 6 dimmers packaged in three dual modules

71500	S21 6 Dimmer strip w/ pin plug, output connectors	\$1830.00
71501	S21 6 Dimmer strip w/ pin plug, output connectors	1830.00
71502	S21 6 Dimmer strip w/ pin plug, output connectors	1830.00



Pricing subject to change without notice. Check our website for updated catalog pricing.

www.mainstage.com

Milwaukee (800) 236-0878 - Pensacola (800) 851-3618 - Memphis (800) 757-6884 - Tampa (727) 564-3997 - Miami/West Palm Beach (561) 319-1475

LEPRECON

ULD 340/360 SERIES TREE MOUNT DIMMERS

Dimmers are equipped with dual 25 amp SSR's and illuminated magnetic breakers, over volt/over temp protection. Fully encapsulated chokes come standard. Each channel can be defined as non-dim, fluorescent or fixed intensity level. The new ULD-360 has all of the features found in the original 360 series dimmers plus additional features. *20A models equipped w/20A breakers and t-blade cord set.

ULD-360 Six channel dimmers

#90-06-0251	High Power, Stage Pin	\$730.00
#90-06-0253	High Power, Duplex	700.00
#90-06-0254	Standard Power, Duplex	615.00
#90-06-0256	Standard Power, Stage Pin	640.00
#90-06-0273	High Power, Socapex	780.00
#90-06-0270	High Power, 20A*, Duplex	695.00
#90-06-0271	High Power, 20A*, Stage Pin	740.00

ULD-340 Four channel dimmers

#90-06-0252	High Power, Twistlock	\$660.00
#90-06-0255	Standard Power, Twistlock	570.00
#90-06-0257	High Power, Stage Pin	690.00
#90-06-0258	Standard Power, Stage Pin	600.00
#90-06-0259	Standard Power, Duplex	570.00
#90-06-0260	High Power, Duplex	660.00



LIGHTRONICS

XC SERIES PORTABLE DIMMING

#XC-62D	6 channels at 1200w each, Softpatch, dimmer limiting, dimmer curve selection, architectural interface, AMX/Creston interface, DMX, 8 built-in chases, relay mode switchable, fuses, Edison outputs, 120v.	\$581.25
#XC-42D	4 channels at 1200w each, Softpatch, dimmer limiting, dimmer curve selection, architectural interface, AMX/Creston interface, DMX, 8 built-in chases, relay mode switchable, fuses, Edison output, 120v.	\$498.75
#XC-40D	4 channels at 600w each, Softpatch, dimmer limiting, dimmer curve selection, architectural interface, AMX/Creston interface, DMX, 8 built-in chases, relay mode switchable, fuses, Edison output, 120v.	\$375.00
Option:	#WS-RX Wireless receiver	\$351.75
	#-UT UL-508 compliant twistlock power input connector	\$37.00



AS SERIES PORTABLE DIMMING

AS62 Series:	6 channels at 1200W each w/8 built-in chases and relay mode switchable. 120V	
#AS-62DCSL	DMX/LMX, circuit breakers, 19 pin LINK Socapex output	\$825.00
#AS-62DCSK	DMX/LMX, circuit breakers, 19 pin KUPO Socapex output	786.75
#AS-62DC	DMX/LMX, circuit breakers, w/Edison	693.00
#-ST	w/Stagepin	811.00
#AS-62D	DMX/LMX, fuses, w/Edison.	554.50
#-ST	w/Stagepin	672.50
#AS-62L	LMX, fuses, w/Edison	524.25
#-ST	w/Stage	642.50
AS40 Series:	4 channels at 600W each, 8 built-in chases, relay mode switchable, 5A fuses, Edison output, 120V	
#AS-40M	Built in control, DMX	315.00
#AS-40D	DMX	300.00
#AS-40L	LMX	277.50
#ND-46	Non-Dimmable	143.00

AS42 Series: 4 channels at 1200W each, 8 built-in chases, relay mode switchable, Edison outputs, 120V

#AS-42DC	DMX/LMX, circuit breakers	\$554.25
#AS-42D	DMX/LMX, fuses.	450.00
#-ST	w/Stagepin	552.50
#AS-42L	LMX, fuses	416.25
#-ST	w/Stagepin	474.50



AS-62/AS-42 Series Options (UL-508 Compliant):

#-UB	12A mains circuit breaker 2880w ttl power	\$22.75
#-UT	Twistlock power input connector	58.50
AS-40 Series Options (UL-508 Compliant):		
#-UB	12A mains circuit breaker 1440W ttl power	14.95
#-UT	Twistlock power input connector	39.00

LIGHTING IN A BOX LB SERIES

#LB-51:	(1) TL-5024 DMX console w/wireless option, (1) XC-42 dimmer w/wireless option, (4) PAR38 fixtures w/150w lamps, (4) color gels, (1) 9' stand.	\$1,874.70
#LB-61:	(1) XC-42 dimmer w/wireless option, (4) PAR38 fixtures w/150w lamps, (4) color gels, (1) 9' stand.	996.75
#LB-13:	(1) TL-4008 console, (1) AS-40L dimmer, (4) PAR38 fixtures w/150w lamps, (4) color gels, (1) 25' microphone cable, (1) 9' stand.	749.25
#LB-12:	(1) TL-3012 console, (1) AS-40L dimmer, (4) PAR38 fixtures w/150w lamps, (4) color gels, (1) 25' microphone cable, (1) 9' stand.	749.25
#LB-11:	(1) FC-816 foot controller console, (1) AS-40L dimmer, (4) PAR38 fixtures w/150w lamps, (4) color gels, (1) 25' microphone cable, (1) 9' stand.	749.25
#LB-20:	(1) AS-40L dimmer, (4) PAR38 fixtures w/150w lamps, (4) color gels, (1) 25' microphone cable, (1) 9' stand.	486.75



Pricing subject to change without notice. Check our website for updated catalog pricing.

www.mainstage.com